INDEX

Page

Aegilops—
cylindrica × *Triticum durum* and hybrids with *T. aestivum*, amphidiploidy. E. R. Sears..... 135–144
ventricosa × *Triticum durum* and hybrids with *T. aestivum*, amphidiploidy. E. R. Sears..... 135–144
Agropyron spp., self- and cross-fertility investigations.....79–80, 82–85, 87–89, 91–93
ALDRICH, W. W., and RYALL, A. LLOYD: The Effect of Water Deficits in the Tree Upon Maturity, Composition, and Storage Quality of Bosc Pears..... 121–133
Alfalfa, chemical composition, effect of fertilizer and soil types.....192, 193–194, 208–214, 219–220
Allohexaploidy in plants, discussion..... 31
Ammonium sulfate, effect on sodium chlorate toxicity to plants, experiments..... 233–234
Amphidiploids, *Aegilops cylindrica* × *Triticum durum* and *A. ventricosa* × *T. durum*, and their hybrids with *T. aestivum*. E. R. Sears..... 135–144
ANDERSON, W. S., SHEETS, O. A., MCWHIRTER, L., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens..... 145–190
Animals—
farm—
carcass. *See* Cattle, carcass.
fatness, estimation from 9–11 rib cut, recommendations..... 261–266
rib-cut relations between percentages of lean, fat, and bone in empty body, correlations..... 244–245
live-weight changes due to feeding, work methods and application of selected relations in estimating..... 261–266
Apple—
blister spot—
bacterial disease. M. A. Smith..... 269–298
distribution and economic importance..... 272–274
organism—
biochemical reactions, miscellaneous, comparison with related organisms..... 288–289
carbohydrate fermentation, comparison with related organisms..... 290–292
classification and description..... 294–295
growth on various media, comparison with related organisms..... 286–288
isolations, sources..... 276–278
morphology and staining reactions..... 278
overwintering..... 285–286
pathogenicity studies..... 278–285
physiology, studies..... 286–292
reaction to drying, sunlight, and temperature, comparison with related organisms..... 290
See also *Phytomonas syringae papulans*.
studies, review of literature..... 269–271
symptoms..... 271
fruit affected by blister spot, pathological anatomy..... 274–276
leaf spot organism—
pathogenicity, comparison with apple blister spot organism.....279–281, 285
physiology, investigation..... 286–292
Stark—
russet strain No. 287—
characteristics.....308–310, 312–313
origin..... 313–314
russeted sport of, pomological and cytological study. C. P. Swanson and V. R. Gardner... 307–315
Sweet-and-Sour—
chimera—
and its clonal significance. V. R. Gardner..... 383–394
study, materials and objectives..... 385
study, methods of procedure..... 385–386
distribution of sweet and sour tissue, studies..... 387–390
fruit characteristics..... 384–385
fruits, tree differences..... 368, 393
origin and history..... 383–384
tree, characteristics..... 384–385
Sweet-and-Sour Selection No. 573, sweet and sour tissues, quantitative studies..... 391–392
target canker organism—
pathogenicity, comparison with apple blister spot organism.....279–281, 285, 289
physiology, investigations..... 286–294
varieties infected by blister spot..... 274
ASCHAM, L., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens..... 145–190
Ascorbic acid content of—
cabbage lines, factors affecting. Charles F. Poole, Paul C. Grimball, and Margaret S. Kanapaux..... 325–329
foods, variability..... 325
potatoes. *See* Potatoes, ascorbic acid content.
Ash content of farm animals, percentage basis data, summary..... 243

Page

BAKER, G. O., and VANDECAVEYE, S. C.: Chemical Composition of Certain Forage Crops as Affected by Fertilizers and Soil Types ... 191–220
BARBER, G. W.: Husk Development of Sweet Corn as Affected by Moisture Supply, an Important Factor in Corn Earworm Control ... 73–77
BARHAM, H. N., WAGONER, J. A., WILLIAMS, B. M., and REED, G. NATHAN: A Comparison of the Viscosity and Certain Microscopical Properties of Some Kansas Starches ... 331–345
Barriers, corn, effect on natural crossing in cotton. O. A. Pope, D. M. Simpson, and E. N. Duncan ... 347–361
Big vein disease of lettuce, relation to soil moisture. Dean E. Pryor ... 1–9
Blister spot—
  bacterial disease of apple. M. A. Smith ... 269–298
  organism, overwintering in apple orchards ... 285–286
  See also Apple, blister spot.
Borax, efficacy in disinfecting oranges against stem-end rot ... 368, 375–377
Bordeaux mixture, pecan leaves treated with, apparent photosynthesis and transpiration. A. J. Loustalot ... 11–19
Bromus spp., self- and cross-fertility investigations ... 80–85, 87–91
BROOKS, CHARLES: Stem-End Rot of Oranges and Factors Affecting Its Control ... 363–381
BROWN, R. M., CURRENCE, T. M., and LAWSON, R. E.: A Rapid Method for Finding the Volume and Density of Muskmelon Fruits ... 427–440

Cabbage—
  ascorbic acid content, variability factors, determining, study ... 325–328
  lines, ascorbic acid content, factors affecting. Charles F. Poole, Paul C. Grimball, and Margaret S. Kanapaux ... 325–329
Calcium—
  accumulation in pecan nuts, study ... 300–305
  content of—
    forage crops, effect of fertilizers and soil types ... 199
    turnip greens—
      effect of fertilizer, soil composition, and certain climatological conditions. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
      effect of rainfall and irrigation ... 177
      factorial experiments ... 154–182
      nonfactorial experiments ... 152–154
  soil, level, effect on calcium and phosphorus content of turnip greens ... 158–165
California, soil moisture, effect on big vein disease of lettuce, experiments ... 2–9
Carbohydrate fermentation, reactions of blister spot and other isolates ... 290–292
Carbon dioxide assimilation or transpiration by pecan leaves—
  effect of bordeaux mixture ... 11–16
  effect of lead arsenate ... 11–12, 16–18
Carcass, farm animals. *See* Cattle, carcass.
Carya illinoiensis. *See* Pecan.
Cattle—
  carcass—
    composition, estimation, work methods and application of relations ... 261–266
    composition on ether extract-free basis ... 252–257
    edible portion, ether extract, estimation of ash from ... 257–258
    fatness, estimation ... 239, 258–261
    9–11 rib cut—
      analysis, index of body composition, study ... 240–267
      chemical composition, correlation ... 247
      physical composition, correlation ... 245–247
    chemical and physical composition, estimation methods. T. H. Hopper ... 239–268
    fatness, rib cuts, correlation with amount in carcass ... 248–252
    physical and chemical composition, estimation methods. T. H. Hopper ... 239–268
    rib-cut relations between percentages of lean, fat, and bone in empty body, correlations ... 244–245
Chlorate—
  reduction in soils treated with sodium chlorate, studies. Russell T. Nelson ... 221–237
  toxicity in soils treated with sodium chlorate, studies. Russell T. Nelson ... 221–237
Chlorine, efficacy in disinfecting oranges against stem-end rot, experiments ... 371, 375
Chromosomes—
  amphidiploid, behavior in *Aegilops* × *Triticum* hybrids, studies ... 135–145
  association and behavior during meiosis in hexaploid timothy (*Phleum pratense*), cytological and genetic analysis. W. M. Myers ... 21–33
  hexaploid, behavior in timothy ... 21–33
Citrus fruits, inoculation with apple blister spot organism ... 284–285
Climatological conditions, effect on calcium and phosphorus content of turnip greens. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
COCHRAN, H. L., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Color, locust heartwood, relation to extractive content ... 424–425
Corn—
  barriers, effect on natural crossing in cotton. O. A. Pope, D. M. Simpson, and E. N. Duncan ... 347–361
  earworm—
    control, moisture supply, effects on husk development of sweet corn. G. W. Barber ... 73–77
    penetration of husks, factor of drought ... 75–77
  Golden Bantam, husk development, effect of moisture ... 74–75
  Marcross 6.13, husk development, effects of moisture ... 73–74
  sweet, husk development, as affected by moisture supply, important factor in corn earworm control. G. W. Barber ... 73–77

Page

Cotton—
crossing, natural—
effect of corn barriers—
analysis of data ... 351–356
investigation method ... 349–351
on, O. A. Pope, D. M. Simpson, and E. N. Duncan ... 347–361
in isolated multiplication blocks ... 356–357
flowers, insect species on, Knoxville, Tenn ... 357–358
green-leaf, natural crossing with red-leaf varieties, prevention by corn barriers ... 349–360
isolation in field by corn barrier, distance requirements ... 360
red-leaf, natural crossing with green-leaf varieties, prevention by corn barriers ... 349–360
Cottonseed, hybrid, production for commercial planting, technique ... 358–360
Cows, physical and chemical composition, estimation methods ... 241–267
Cronartium ribicola, cause of blister rust of white pine ... 65
CURRENCE, T. M., LAWSON, R. E., and BROWN, R. M.: A Rapid Method for Finding the Volume and Density of Muskmelon Fruits ... 427–440

Dactylis glomerata, pollination and seed formation studies ... 80–83, 85, 87–89, 91
Damping-off fungi, damage to jack pine and black spruce seedlings in northeastern Minnesota ... 111
Digestibility of soybean protein by lambs, effect of heat treatment and oil extraction. J. I. Miller and F. B. Morrison ... 35–48
Diplodia natalensis—
cause of rapid decay of oranges at stems or button areas ... 364
entrance into oranges at stem buttons ... 365–367
penetration into orange tissue, speed in comparison with *Phomopsis citri* ... 367–369
spores, obtaining and germinating, studies ... 364–365
Disinfection, oranges hand-inoculated with stem-end rot, experiments ... 370–373
Drought—
damage to jack pine and black spruce seedlings in northeastern Minnesota ... 112–113
effect on husk penetration of corn earworm ... 75–77
DUDGEON, LOLA T., KARIKKA, KATHERINE JOHNSON, and HAUCK, HAZEL M.: Influence of Variety, Location, Fertilizer, and Storage on the Ascorbic Acid Content of Potatoes Grown in New York State ... 49–63
DUNCAN, E. N., POPE, O. A., and SIMPSON, D. M.: Effect of Corn Barriers on Natural Crossing in Cotton ... 347–361

EDMOND, J. B., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
ELLETT, W. B., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Elymus spp., pollination and seed formation studies ... 80, 83–87, 91–93
Emmer—
wheat hybrids, chromosome studies ... 135–143
See also *Triticum durum*.
Environment, controllable conditions, influence on regeneration of jack pine and black spruce. Russell K. LeBarron ... 97–119
Ether extract, content of pecan kernels, effect of harvest date and curing, experiments ... 396–398, 400
Ethylene gas, effect on susceptibility of oranges to stem-end rot, study ... 373–375, 377
[redacted]
Farm animals, fatness, estimation from 9–11 rib cut, recommendations ... 261–266
Fat content of soybeans, digestibility by lambs, experiments ... 36–45
Fatness, cattle carcass, estimation ... 239, 258–261
Fertilizer—
application to pecan trees, effect upon mineral composition of nuts and shoots ... 300–305
effect on—
calcium and phosphorus content of turnip greens. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
chemical composition of certain forage crops. S. C. Vandecaveye and G. O. Baker ... 191–220
sodium chlorate toxicity to plants ... 233–234
treatment, effects on ascorbic acid content of raw potatoes ... 60–62
Festuca spp., pollination and seed formation studies ... 80, 83, 84, 86, 91–93
Fomes rimosus, resistance of black locust wood to, experiments ... 420–426
Foods, ascorbic acid content, variability ... 325
Foot rot, of lupines, cause, symptoms, and inoculation experiments ... 452–455
Forage crops, chemical composition as affected by fertilizers and soil types. S. C. Vandecaveye and G. O. Baker ... 191–220
Formaldehyde, efficacy in disinfecting oranges against stem-end rot ... 370–371, 375
FRAPS, G. S., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Frost-heave, damage to jack pine and black spruce seedlings in northeastern Minnesota ... 113–114
Fruits, stone, inoculation with apple blister spot organism ... 283–284
Fungi—
damage to jack pine and black spruce seedlings in northeastern Minnesota ... 111, 114
stem-end rot. *See* Stem-end rot fungi.
Fusarium—
moniliforme, cause of canker development on hypocotyls of *Lupinus angustifolius* ... 448–449
oxysporum—
cause of root and hypocotyl rot of lupine plants ... 445–448
f. *radicis-lupini*—
cause of root rots of lupines ... 443–445

Page

Fusarium—Continued.
oxysporum—continued.
f. *radicis-lupini*—continued.
n. f., technical description ... 448
solani—
cause of root rot of *Lupinus angustifolius* ... 449–451
f. *lupini* n. f., technical description ... 451
f. *pisi*, cause of root rot of lupines ... 451
spp., cause of root rots of lupines ... 443–445
wilt, distinction from root rot ... 455

GARDNER, V. R.:
A Study of the Sweet-and-Sour Apple Chimera and Its Clonal Significance ... 383–394
and SWANSON, C. P.: A Pomological and Cytological Study of a Russeted Sport of the Stark Apple ... 307–315
GIEGER, M., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Gloxinia—
disease caused by *Phytophthora cryptogea*—
John T. Middleton, C. M. Tucker, and C. M. Tompkins ... 405–413
symptoms ... 406–408
diseases, occurrence in England ... 411
Grass—
pasture, chemical composition, effect of fertilizers and soil types ... 191–208, 219–220
plots, stomach worm eggs and larvae on, survival. D. A. Shorb ... 317–324
Grasses—
pollination and seed formation. D. C. Smith ... 79–95
self- and cross-fertility studies ... 79–93
See also specific kinds.
Greens, turnip. *See* Turnip greens.
GRIMBALL, PAUL C., POOLE, CHARLES F., and KANAPAUX, MARGARET S.: Factors Affecting the Ascorbic Acid Content of Cabbage Lines ... 325–329

Haemonchus contortus—
development and survival, effects of weather ... 319–323
eggs and larvae, survival on grass plots. D. A. Shorb ... 317–324
HAUCK, HAZEL M., KARIKKA, KATHERINE JOHNSON, and DUDGEON, LOLA T.: Influence of Variety, Location, Fertilizer, and Storage on the Ascorbic Acid Content of Potatoes Grown in New York State ... 49–63
Hay—
alfalfa, chemical composition, effect of fertilizer and soil type ... 192, 193–194, 208–214, 219–220
mixed grass, chemical composition, effect of fertilizers and soil types ... 205–208
oat, chemical composition, effect of fertilizer and soil types ... 192, 193–194, 214–216, 219–220
wheat, chemical composition, effect of fertilizer and soil type ... 192, 193, 214–215, 216–220
Heat—
damage to jack pine and black spruce seedlings in northeastern Minnesota ... 111–112
treatment of soybean protein, effect on utilization and digestibility by lambs. J. I. Miller and F. B. Morrison ... 35–48
Heliothis armigera. *See* Corn earworm.
HOPP, HENRY, SCHEFFER, THEODORE, and LACHMUND, HARRY G.: Relation Between Hot-Water Extractives and Decay Resistance of Black Locust Wood ... 415–426
HOPPER, T. H.: Methods of Estimating the Physical and Chemical Composition of Cattle ... 239–268
Hordeum spp., pollination and seed formation studies ... 80, 83–84, 86, 87, 91–93
HUNTER, J. H., and LEWIS, RULON D.: Changes in Some Mineral Constituents of Pecan Nuts and Their Supporting Shoots During Development ... 299–306
Husk development of sweet corn as affected by moisture supply, an important factor in corn earworm control. G. W. Barber ... 73–77

Insect species found on cotton flowers, Knoxville, Tenn ... 357–358
Insects, damage to jack pine and black spruce seedlings in northeastern Minnesota ... 110–111
Ipomoea batatas. *See* Sweetpotatoes.
Irrigation, effects on calcium and phosphorus content of turnip greens ... 177

KANAPAUX, MARGARET S., POOLE, CHARLES F., and GRIMBALL, PAUL C.: Factors Affecting the Ascorbic Acid Content of Cabbage Lines ... 325–329
KARIKKA, KATHERINE JOHNSON, DUDGEON, LOLA T., and HAUCK, HAZEL M.: Influence of Variety, Location, Fertilizer, and Storage on the Ascorbic Acid Content of Potatoes Grown in New York State ... 49–63
Koeleria cristata, pollination and seed formation studies ... 83, 86, 87

LACHMUND, HARRY G., SCHEFFER, THEODORE C., and HOPP, HENRY: Relation Between Hot-Water Extractives and Decay Resistance of Black Locust Wood ... 415–426
Lactuca sativa. *See* Lettuce.
Lambs—
digestion of soybean protein, effect of heat treatment and oil extraction. J. I. Miller and F. B. Morrison ... 35–48
utilization of soybean protein, effect of heat treatment and oil extraction. J. I. Miller and F. B. Morrison ... 35–48
LAWSON, R. E., CURRENCE, T. M., and BROWN, R. M.: A Rapid Method for Finding the Volume and Density of Muskmelon Fruits ... 427–440
Lead arsenate, pecan leaves treated with, apparent photosynthesis and transpiration. A. J. Loustalot ... 11–19
LEASE, E. J., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
LEBARRON, RUSSELL K.: Influence of Controllable Environmental Conditions on Regeneration of Jack Pine and Black Spruce ... 97–119

Page
Lemons, inoculation with apple blister spot organism ... 284–285
Lettuce—
big vein disease—
relation to soil moisture—
Dean E. Pryor ... 1–9
study methods ... 2–3
symptom production, effect of soil moisture, experiments ... 3–6
growth, effect of soil moisture and big vein, experiments ... 6–8
LEWIS, RULON D., and HUNTER, J. H.: Changes in Some Mineral Constituents of Pecan Nuts and Their Supporting Shoots During Development ... 299–306
Lilac leaves, susceptibility to blister spot ... 282–283, 294
Locust, black—
decay resistance—
relation to content and toxicity of extractives in wood, experiments ... 421–425
study materials and methods ... 416–420
study, results ... 420–425
extractives, toxicity, relation to concentration ... 420–421
heartwood—
color, relation to extractive content ... 424–425
extractives, concentrations, effect on growth rate of decay fungus, experiment ... 416–419, 420–421, 425–426
resistance to decay, determination methods ... 416–418, 419–420, 421–426
wood, decay resistance, relation to hot-water extractives. Theodore C. Scheffer, Harry G. Lachmund, and Henry Hopp ... 415–426
LOUSTALOT, A. J.:
Apparent Photosynthesis and Transpiration of Pecan Leaves Treated With Bordeaux Mixture and Lead Arsenate ... 11–19
and SMITH, C. L.: Effect of Harvest Date and Curing on the Composition and Palatability of Pecan Nuts ... 395–403
Lupine—
diseases, in Southeast, investigations ... 441–456
foot rot—
in southeastern United States. J. L. Weimer ... 441–457
symptoms and inoculation experiments ... 452–455
root rots—
culture, studies, symptoms, and etiology ... 442–443
in southeastern United States. J. L. Weimer ... 441–457
pathogenes ... 443–452
See also *Lupinus*.
Lupinus—
albus—
foot rot, cause, symptoms, and inoculation studies ... 453–455
root rots, geographic distribution and economic importance ... 441–442
angustifolius—
foot rot, cause, symptoms, and inoculation studies ... 454–455
root rots, geographic distribution and economic importance ... 441–442
luteus—
foot rot, cause, symptoms, and inoculation studies ... 454–455
root rots, geographic distribution and economic importance ... 441–442
spp., susceptibility to root rots and foot rot in Southeast, studies ... 441–456
See also Lupine.

Magnesium, accumulation in pecan nuts, study ... 300–305
Magnolia—
host of *Phytomonas syringae* ... 293
leaf spot—
description ... 277
organism, studies ... 279–282, 285, 286, 287, 289–293
susceptibility to leaf spot ... 281, 282
Manure, effect on sodium chlorate toxicity to plants, experiments ... 233–234
McWHIRTER, L., SHEETS, O. A., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Meiosis, in hexaploid timothy, cytological and genetic analysis of chromosomal association and behavior ... 21–33
Melon. *See* Muskmelon.
Microbial activity—
and aeration, relation to sodium chlorate reduction, investigations ... 227–230
of soils treated with sodium chlorate. Russell T. Nelson ... 221–237
Micro-organisms, soil, effect of sodium chlorate, experiments ... 221–235
MIDDLETON, JOHN T., TUCKER, C. M., and TOMPKINS, C. M.: A Disease of Gloxinia Caused by *Phytophthora cryptogea* ... 405–413
MILLER, J. I., and MORRISON, F. B.: Effect of Heat Treatment and Oil Extraction on the Utilization and Digestibility of Soybean Protein by Lambs ... 35–48
Mineral constituents of pecan nuts and their supporting shoots, changes during development. Rulon D. Lewis and J. H. Hunter ... 299–306
Minnesota, northeastern—
black spruce regeneration, influence of environment, experiment ... 97–118
jack pine regeneration, influence of environment, experiment ... 97–118
MITCHELL, J. H., SHEETS, O. A., McWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Moisture—
content, of farm animals, percentage basis data ... 243
soil, relation to big vein disease of lettuce. Dean E. Pryor ... 1–9
supply, effect on husk development of sweet corn, factor in corn earworm control. G. W. Barber ... 73–77

Page

MOORE, R. C., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
MORRISON, F. B, and MILLER, J. I.: Effect of Heat Treatment and Oil Extraction on the Utilization and Digestibility of Soybean Protein by Lambs ... 35–48
MOSS, VIRGIL D., OFFORD, H. R., and QUICK, CLARENCE R.: Self-Incompatibility in Several Species of *Ribes* in the Western States ... 65–71
Muskmelon fruits—
  measurements, materials and methods ... 427–431
  shape, comparison with ellipsoid and sphere ... 432–435
  taper curves, study ... 431–432
  volume—
    actual and estimated, comparison ... 439–440
    alignment chart, making and use ... 438–439
    and density, finding, rapid method for. T. M. Currence, R. E. Lawson, and R. M. Brown ... 427–440
    and form factor K, estimate, standard errors ... 436
    formula, derivation ... 435–436
    slide rule, making and use ... 436–438
MYERS, W. M.: Cytological and Genetic Analysis of Chromosomal Association and Behavior During Meiosis in Hexaploid Timothy (*Phleum pratense*) ... 21–33

NELSON, RUSSELL T.: Studies of Microbial Activity, Chlorate Reduction, and Chlorate Toxicity in Soils Treated With Sodium Chlorate ... 221–237
New York State, potatoes grown in, ascorbic acid content, influences of variety, location, fertilizer, and storage on. Katherine Johnson Karikka, Lola T. Dudgeon, and Hazel M. Hauck ... 49–63
Nitrates, effect on sodium chlorate toxicity to plants, experiments ... 233–234
Nitrogen—
  accumulation in pecan nuts, study ... 300–305
  content of forage crops, effect of fertilizers and soil types ... 197–198
  effect on calcium and phosphorus content of turnip greens, experiments ... 154–189
  organic, content of pecan kernels, shucks, and shells, effect of harvest date and curing, tests ... 396–398, 399–400
  protein, in soybeans, digestion, and utilization by lambs, experiments ... 36–44
Nuts, pecan. *See* Pecan nuts.

Oats, chemical composition, effect of fertilizer and soil types ... 192, 193–194, 214–216, 219–220
OFFORD, H. R., QUICK, CLARENCE R., and MOSS, VIRGIL D.: Self-Incompatibility in Several Species of *Ribes* in the Western States ... 65–71
Oranges—
  coloring by ethylene gas, effect on susceptibility to stem-end rot, study ... 373–375, 377
  hand-inoculated with stem-end rot, disinfection experiments ... 370–373
  inoculation with apple blister spot organism ... 284–285
  stem buttons, role in spread of stem-end rot ... 365–367
  stem-end rot—
    and factors affecting its control. Charles Brooks ... 363–381
    causal organism spores, obtaining and germinating ... 364–365
    control by disinfection, effectiveness ... 377–379
    study, material and methods ... 363–364
  tissues, entrance by *Phomopsis* and *Diplodia*, relative speed ... 367–369
Oregon, Bosc pear, quality, effect of water deficits, experiments ... 121–133
Organic matter—
  addition to soil, effect upon microbial activity in presence of sodium chlorate ... 231–234
  level in soil, effect upon composition in turnip greens ... 160–162, 170–174
Oryzopsis hymenoides, pollination and seed formation studies ... 83, 86, 87

Pacific Northwest, grasses, pollination and seed formation ... 79–93
Pasture management for control of large stomach worm ... 317, 323
Pear, Bosc—
  chemical composition, relation to water deficiency in tree ... 128–130
  maturity, composition, and storage quality, effect of water deficits in tree. A. Lloyd Ryall and W. W. Aldrich ... 121–133
  quality, effect of water deficits—
    discussion ... 131–132
    experimental results ... 123–130
    study materials and methods ... 121–123
  tree, water deficiency, effect upon—
    chemical composition of fruit ... 128–130
    dry matter content and firmness ... 123
    growth rate ... 123
    maturity, composition, and storage quality of fruit. A. Lloyd Ryall and W. W. Aldrich ... 121–133
    quality after storage ... 123–128
    respiratory activity ... 128
Pecan—
  kernels—
    constituents, effects of harvest date and curing, experiments ... 397–400
    flavor, color, and texture, effect of curing temperature, experiments ... 400–401
    mature, composition on dry-weight basis ... 300, 304
    palatability, effect of curing temperatures ... 402
    sugar content, effect of harvest date and curing, experiments ... 396–399
  leaves—
    photosynthesis, effect of lead arsenate, experiments ... 16–18
    transpiration, effect of—
      bordeaux mixture, experiments ... 12–16
      lead arsenate, experiments ... 16–18
    treated with bordeaux mixture and lead arsenate, apparent photosynthesis and transpiration. A. J. Loustalot ... 11–19
  nuts—
    composition, effects of harvest date and curing. C. L. Smith and A. J. Loustalot ... 395–403
    curing, effect on composition and palatability. C. L. Smith and A. J. Loustalot ... 395–403

Page

Pecan—Continued.
nuts—continued.
curing temperature, effect on kernel flavor, color, and texture, experiments 400–401
development, changes in mineral constituents of supporting shoots. Rulon D. Lewis and J. H. Hunter 299–306
filling, investigations 299–305
harvest date, effect on composition and palatability. C. L. Smith and A. J. Loustalot 395–403
mineral constituents, changes during development. Rulon D. Lewis and J. H. Hunter 299–306
palatability, effects of harvest date and curing. C. L. Smith and A. J. Loustalot 395–403
tissues, interrelations between sugar and acid-hydrolyzable polysaccharide content 401–402
shells—
constituents, effects of harvest date and curing, experiments 397–400
mature, composition on dry-weight basis 300, 302, 303, 304
sugar content, effect of harvest date and curing, experiments 396–399
shucks—
constituents, effects of harvest date and curing, experiments 397–400
sugar content, effect of harvest date and curing, experiments 396–399
Phalaris arundinacea, pollination and seed formation studies 83, 86, 91–93
Phenate, efficacy in disinfecting oranges against stem-end rot, experiments 371–373, 375, 376, 377–379
Phleum—
pratense—
hexaploid, chromosomal association and behavior during meiosis, cytological and genetic analysis. W. M. Myers 21–33
See also Timothy.
spp., pollination and seed formation studies 83, 87
Phomopsis citri—
cause of rapid decay of oranges at stems or button areas 364
entrance into oranges at stem buttons 365–367
penetration into orange tissue, speed in comparison with *Diplodia natalensis* 367–369
spores, obtaining and germinating 364–365
Phosphorus—
accumulation in pecan nuts, study 300–305
content of—
forage crops, effect of fertilizers and soil types 198
turnip greens, effect of—
fertilizer, soil composition, and certain climatological conditions. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley 145–190
rainfall and irrigation 177
soil, level, effect on phosphorus content of turnip greens 165–175
Photosynthesis, apparent, of pecan leaves treated with bordeaux mixture and lead arsenate. A. J. Loustalot 11–19
Phytomonas syringae—
infection of magnolia 293
papulans—
n. var., technical description 294–295
See also Apple blister spot organism.
pathogenicity, comparison with apple blister spot organism 279–281, 285, 289
physiology, investigations 286–292
Phytophthora cryptogea—
cause of gloxinia disease. John T. Middleton, C. M. Tucker, and C. M. Tompkins 405–413
host range, experiments 410–411
isolates from gloxinia—
morphology 408–409
temperature, relations 409
pathogenicity to gloxinia plants 409–410
Picea mariana. *See* Spruce, black.
Pine, jack—
germination, effect of environment, experiments 103–106
regeneration—
influence of controllable environmental conditions on. Russell K. LeBarron 97–119
study, experimental design and procedure 100–103
seedling—
losses due to—
damping-off fungi 111
drought 112–113
frost heave 113–114
fungi 111, 114
heat 111–112
insects 110–111
mortality, causes 109–110
1-year-old, height 114–115
survival, effect of environment in northeastern Minnesota, experiments 106–114
3-year-old, height and weight 117
top growth, effect of environment in northeastern Minnesota, experiments 114–117
two-year-old, weight and height 116–117
Pinus banksiana. *See* Pine, jack.
Plant growth, relation to microbial activity in sodium chlorate-treated plots 224–227
Plants, susceptibility to sodium chlorate poisoning, effect of fertilizers 233–234
Poa spp., pollination and seed formation studies 80, 81–83, 86–87, 88–89, 91–93
Pollination in grasses. D. C. Smith 79–95
Polysaccharides, acid-hydrolizable, content of pecan kernels, shucks, and shells, effect of harvest date and curing 396–398, 399
POOLE, CHARLES F., GRIMBALL, PAUL C., and KANAPAUX, MARGARET S.: Factors Affecting the Ascorbic Acid Content of Cabbage Lines 325–329
POPE, O. A., SIMPSON, D. M., and DUNCAN, E. N.: Effect of Corn Barriers on Natural Crossing in Cotton 347–361
Potassium—
accumulation in pecan nuts, study 300–305
content of forage crops, effect of fertilizers and soil types 198–199

Page

Potatoes—
ascorbic acid content—
determination ... 51–52
effects of cooking ... 51, 59, 62
effects of storage ... 50–51
influences of variety, location, fertilizer, and storage on, when grown in New York State. Katherine Johnson Karikka, Lola T. Dudgeon, and Hazel M. Hauck ... 49–63
sampling ... 51
grown in—
Kansas, use as starch crops, practicability, determination ... 331–345
New York State, ascorbic acid content, influence of variety, location, fertilizer, and storage. Katherine Johnson Karikka, Lola T. Dudgeon, and Hazel M. Hauck ... 49–63
raw, ascorbic acid content, effect of—
fertilizer treatment ... 60–62
location ... 56–57
soil reaction ... 57–58
storage temperature ... 58–60
variety ... 52–56
starch. *See* Starch, potato.
stored, ascorbic acid content, effects of cooking, tests ... 62
varieties, starches from, comparison ... 340–341
Protein—
crude, content, of farm animals, percentage basis data, summary ... 243
soybean—
digestibility by lambs, effect of heat treatment and oil extraction on. J. I. Miller and F. B. Morrison ... 35–48
utilization by lambs, effect of heat treatment and oil extraction on. J. I. Miller and F. B. Morrison ... 35–48

PRYOR, DEAN E.: The Big Vein Disease of Lettuce in Relation to Soil Moisture ... 1–9

Puccinellia nuttalliana, pollination and seed formation studies ... 86

Pythium graminicolum, cause of root rot of lupines ... 451–452, 456

QUICK, CLARENCE R., OFFORD, H. R., and MOSS, VIRGIL D.: Self-Incompatibility in Several Species of *Ribes* in the Western States ... 65–71

Rainfall, effects on calcium and phosphorus content of turnip greens ... 177

REDER, R., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM L., COCHRAN, H. L., SPEIRS, M., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190

REED, G. NATHAN, BARHAM, H. N., WAGONER, J. A., and WILLIAMS, B. M.: A Comparison of the Viscosity and Certain Microscopical Properties of Some Kansas Starches ... 331–345

Rhizoctonia solani, cause of damping-off and root rots of lupine seedlings ... 443

Ribes spp.—
cross-pollination, results ... 65–70
hand pollination, studies ... 66
seed germination, study methods ... 67
self-incompatibility, in Western States. H. R. Offord, Clarence R. Quick, and Virgil D. Moss ... 65–71
self-pollination, results ... 68–70

Robinia pseudoacacia. *See* Locust, black.

Root rots, *Lupinus* spp., geographic distribution and economic importance ... 441–442

Russeting, Stark apple, bud sport, pomological and cytological study. C. P. Swanson and V. R. Gardner ... 307–315

RYALL, A. LLOYD, and ALDRICH, W. W.: The Effect of Water Deficits in the Tree Upon Maturity, Composition, and Storage Quality of Bosc Pears ... 121–133

SCHEFFER, THEODORE C., LACHMUND, HARRY G., and HOPP, HENRY: Relation Between Hot-Water Extractives and Decay Resistance of Black Locust Wood ... 415–426

Sclerotium rolfsii, cause of foot rot of lupines ... 452

SEARS, E. R.: The Amphidiploids *Aegilops cylindrica* × *Triticum durum* and *A. ventricosa* × *T. durum* and Their Hybrids With *T. aestivum* ... 135–144

Seed formation in grasses. D. C. Smith ... 79–95

Self-incompatibility in *Ribes* species in Western States. H. R. Offord, Clarence R. Quick, and Virgil D. Moss ... 65–71

Sheep, agency in spread of *Haemonchus contortus* eggs, studies ... 318–323

SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190

SHORB, D. A.: Survival on Grass Plots of Eggs and Larvae of the Stomach Worm, *Haemonchus contortus* ... 317–324

SIMPSON, D. M., POPE, O. A., and DUNCAN, E. N.: Effect of Corn Barriers on Natural Crossing in Cotton ... 347–361

Sinningia speciosa. *See* Gloxinia.

SMITH, C. L., and LOUSTALOT, A. J.: Effects of Harvest Date and Curing on the Composition and Palatability of Pecan Nuts ... 395–403

SMITH, D. C.: Pollination and Seed Formation in Grasses ... 79–95

SMITH, M. A.: Blister Spot, a Bacterial Disease of Apple ... 269–298

Sodium—
chlorate—
effect on soil micro-organisms, experiments ... 222–227, 230–232, 234
efficacy in control of weeds—
experimental results ... 224–234
study method ... 222–224
reduction in soil, experiments ... 227–230
soils treated with, microbial activity, chlorate reduction, and chlorate toxicity, studies. Russell T. Nelson ... 221–237
toxicity to plants—
effect of fertilizers ... 233–234
experiments ... 221–224, 233–234
nitrate, effect on sodium chlorate toxicity to plants, experiments ... 233–234

Page

Soil—
aeration, relation to sodium chlorate reduction, investigations ... 227–230
calcium level, relation of effects of fertilizer treatment of turnip greens to ... 158–160
composition, effect on calcium and phosphorus content of turnip greens. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
moisture, relation to big vein disease of lettuce. Dean E. Pryor ... 1–9
organic matter, level, effect on—
calcium content of turnip greens ... 160–162
phosphorus content of turnip greens, experiments ... 172–174
phosphorus level, relation to effect of fertilizer treatment of turnip greens ... 170–172
reaction, effect on ascorbic acid content of raw potatoes ... 57–58
types, effect on chemical composition of certain forage crops. S. C. Vandecaveye and G. O. Baker ... 191–220
Soils, treated with sodium chlorate, microbial—
activity, chlorate reduction, and chlorate toxicity, studies. Russell T. Nelson ... 221–237
activity, comparative levels ... 224–227
and toxicity studies—
experimental results ... 224–234
materials and methods ... 222–224
populations ... 230–232
Solanum tuberosum. *See* Potatoes.
Soybean—
flakes, digestibility and utilization by lambs, experiments ... 37–39, 44–45
oil—
extraction, effect on utilization and digestibility of protein by lambs. J. I. Miller and F. B. Morrison ... 35–48
meal, heat-treated solvent-process, digestibility and utilization by lambs, experiments ... 37–45
meal, solvent-process, digestibility and utilization by lambs, experiments ... 37–45
protein—
digestibility by lambs—
discussion ... 43–45
effect of heat treatment and oil extraction on. J. I. Miller and F. B. Morrison ... 35–48
experiments ... 36–43
utilization by lambs, effect of heat treatment and oil extraction on. J. I. Miller and F. B. Morrison ... 35–48
Soybeans—
fat content, digestibility by lambs, experiments ... 36–45
ground raw, digestibility and utilization by lambs, experiments ... 40–44
yields on chlorate-treated plots fertilized with nitrates ... 233–234, 235
Speirs, M., Sheets, O. A., McWhirter, L., Anderson, W. S., Gieger, M., Ascham, L., Cochran, H. L., Reder, R., Edmond, J. B., Lease, E. J., Mitchell, J. H., Fraps, G. S., Whitacre, J., Yarnell, S. H., Ellett, W. B., Moore, R. C., and Zimmerley, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
Spruce, black—
germination, effect of environment, experiments ... 103–106
regeneration, influence of controllable environmental conditions on. Russell K. LeBarron ... 97–119
regeneration, study, experimental design and procedure ... 100–103
seedling—
losses due to—
frost heave ... 113–114
fungi ... 111, 114
heat ... 111–112
insects ... 110–111
mortality, causes ... 109–110
1-year-old, height ... 114–115
survival, effect of environment in northeastern Minnesota, experiments ... 106–114
3-year-old, height and weight ... 117
top growth, effect of environment in northeastern Minnesota, experiments ... 114–117
2-year-old, weight and height ... 116–117
Starch—
potato—
comparison with sweetpotato ... 341–342
effect of harvesttime ... 341
gelatinization temperature and average diameter of granules ... 337–339
granule size—
and granule-size distribution, determination ... 333
distribution ... 339–340
factors affecting ... 338
Kansas-grown properties, comparisons ... 331–345
viscosity, determinations ... 333–337
properties, factors affecting ... 340–341
sweetpotato—
comparison with potato ... 341–342
effect of curing ... 341
gelatinization temperature and average diameter of granules ... 337–339
granule size—
and granule-size distribution, determination ... 333
distribution ... 339–340
factors affecting ... 338
Kansas-grown properties, comparisons ... 331–345
viscosity, determination ... 333–337
Starches—
gelatinization temperature, determination ... 332–333
Kansas—
native, comparison with domestic commercial starches ... 342–344
properties, microscopical, comparison. H. N. Barham, J. A. Wagoner, B. M. Williams, and G. Nathan Reed ... 331–345
viscosity, comparison. H. N. Barham, J. A. Wagoner, B. M. Williams, and G. Nathan Reed ... 331–345

Page

Steers, physical and chemical composition, estimation methods ... 241–267
Stem-end rot—
fungi, entry into oranges, role of stem buttons ... 365–367
of oranges and factors affecting its control. Charles Brooks ... 363–381
See also under host.
Stomach worm—
development and survival, effects of weather ... 319–323
eggs and larvae, survival on grass plots. D. A. Shorb ... 317–324
Sugar content of pecan kernels, shucks, and shells, effect of harvest date and curing, experiments ... 396–399
Superior National Forest, Minn.—
experimental area, description ... 99–100
jack pine and black spruce, regeneration, experiment ... 99–118
SWANSON, C. P., and GARDNER, V. R.: A Pomological and Cytological Study of a Russeted Sport of the Stark Apple ... 307–315
Sweetpotatoes—
curing, effect on starch ... 341
Kansas-grown, use as starch crops, practicability, determination ... 331–345
starch. *See* Starch, sweetpotato.
varieties, starches from, comparison ... 341

Temperature—
curing, effect on—
gelatinization of starches, factors affecting ... 338
kernel flavor, color, and texture of pecan nuts, experiments ... 400–401
palatability of pecan kernels ... 402
storage, effects on ascorbic acid content of raw potatoes ... 58–60
Timothy—
American, chromosome pairing, analysis ... 21–32
anaphase I, chromosomal behavior ... 26,30
characteristics, important, uniformity, method of obtaining ... 31–32
chromosomal—
association, determination at diakinesis ... 22–25
behavior, ratios, calculated, and observed ... 26–30,31
behavior, types ... 26
quartets, frequency ... 26
chromosome pairing, study, methods ... 22
hexaploid, chromosomal association and behavior during meiosis, cytologic and genetic analysis. W. M. Myers ... 21–33
metaphase I, chromosomal behavior, study ... 25,30
See also *Phleum*.
Tomatoes, inoculation with apple blister spot organism ... 284
TOMPKINS, C. M., MIDDLETON, JOHN T., and TUCKER, C. M.: A Disease of Gloxinia Caused by *Phytophthora cryptogea* ... 405–413
Transpiration of pecan leaves treated with bordeaux mixture and lead arsenate. A. J. Loustalot ... 11–19
Triticum—
aestivum hybrids with amphidiploids *Aegilops cylindrica* × *Triticum durum* and *A. ventricosa* × *T. durum*. E. R. Sears ... 135–144
durum × *Aegilops cylindrica* and hybrids with *T. aestivum*, amphidiploidy. E. R. Sears ... 135–144
See also Wheat.
TUCKER, C. M., MIDDLETON, JOHN T., and TOMPKINS, C. M.: A Disease of Gloxinia Caused by *Phytophthora cryptogea* ... 405–413
Turnip greens—
calcium—
and phosphorus content—
effect of environment, study methods ... 146–152
effect of fertilizer, soil composition, and certain climatological conditions. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
effect of rainfall and irrigation ... 177
factorial experiments ... 154–182
nonfactorial experiments ... 152–154
content—
effects of level of organic matter in soil, data ... 160–162
factorial experiments ... 154–165
relation to soil properties ... 162–168
fertilizer treatment, effects in relation to level of—
soil calcium ... 158–160
soil phosphorus ... 170–172
phosphorus—
and calcium content, effects of fertilizer, soil composition, and certain climatological conditions. O. A. Sheets, L. McWhirter, W. S. Anderson, M. Gieger, L. Ascham, H. L. Cochran, M. Speirs, R. Reder, J. B. Edmond, E. J. Lease, J. H. Mitchell, G. S. Fraps, J. Whitacre, S. H. Yarnell, W. B. Ellett, R. C. Moore, and H. H. Zimmerley ... 145–190
content—
effects of level of organic matter in soil, experiments ... 172–174
relation to soil properties ... 174–175
yield factors in relation to calcium and phosphorus content ... 177–182,186

United States, southeastern, lupine root rots and foot rot. J. L. Weimer ... 441–457

VANDECAVEYE, S. C., and BAKER, G. O.: Chemical Composition of Certain Forage Crops as Affected by Fertilizers and Soil Types ... 191–220

WAGONER, J. A., BARHAM, H. N., WILLIAMS, B. M., and REED, G. NATHAN: A Comparison of the Viscosity and Certain Microscopical Properties of Some Kansas Starches ... 331–345
Washington, soil types, effect on chemical composition of certain forage crops, experiments ... 191–220

Page

Water—
deficits—
effect upon quality of Bosc pears ... 121–133
in Bosc pear tree, effect upon maturity, composition, and storage quality of fruit. A. Lloyd Ryall and W. W. Aldrich ... 121–133
hot, extractives, of black locust wood, relation to decay resistance. Theodore C. Scheffer, Harry G. Lachmund, and Henry Hopp ... 415–426
Weather, effects on development and survival of *Haemonchus contortus*, experiments ... 318–323
Weeds—
control by sodium chlorate, efficacy, experiments ... 221–236
susceptibility to sodium chlorate poisoning, effect of fertilizers ... 233–234
WEIMER, J. L.: Some Root Rots and a Foot Rot of Lupines in the Southeastern Part of the United States ... 441–457
Western States, *Ribes* spp., self-incompatibility. H. R. Offord, Clarence R. Quick, and Virgil D. Moss ... 65–71
Wheat—
chemical composition, effect of fertilizer and soil types ... 192, 193, 214–215, 216–220
emmer hybrids, chromosome studies ... 135–143
See also *Triticum*.
WHITACRE, J., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., YARNELL, S. H., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190
WILLIAMS, B. M., BARHAM, H. N., WAGONER, J. A., and REED, G. NATHAN: A Comparison of the Viscosity and Certain Microscopic Properties of Some Kansas Starches ... 331–345
Wood, black locust—
decay—
amount, tests ... 418
resistance, relation to hot-water extractives. Theodore C. Scheffer, Harry G. Lachmund, and Henry Hopp ... 415–426
extractives—
content and toxicity, relation of decay resistance to, experiment ... 421–425
toxicity, relation to concentration, experiment ... 420–421
heartwood, extractive—
content, determination method ... 418
toxicity, measurement, experiments ... 418–420

YARNELL, S. H., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., ELLETT, W. B., MOORE, R. C., and ZIMMERLEY, H. H.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190

ZIMMERLEY, H. H., SHEETS, O. A., MCWHIRTER, L., ANDERSON, W. S., GIEGER, M., ASCHAM, L., COCHRAN, H. L., SPEIRS, M., REDER, R., EDMOND, J. B., LEASE, E. J., MITCHELL, J. H., FRAPS, G. S., WHITACRE, J., YARNELL, S. H., ELLETT, W. B., and MOORE, R. C.: Effect of Fertilizer, Soil Composition, and Certain Climatological Conditions on the Calcium and Phosphorus Content of Turnip Greens ... 145–190

★598262—1944